

---

# MODERN SUPERABSORBENT POLYMER TECHNOLOGY

---

Edited by  
Fredric L. Buchholz  
Andrew T. Graham



**WILEY-VCH**

New York / Chichester / Weinheim / Brisbane / Singapore / Toronto

WILEY  
POLYMER TECHNOLOGY  
VOLUME 109

This book is printed on acid-free paper. ©  
Copyright © 1998 by John Wiley & Sons, Inc. All rights reserved.

Published simultaneously in Canada.

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Sections 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (508) 750-8400, fax (508) 750-4744. Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158-0012, (212) 850-6011, fax (212) 850-6008, E-Mail: PERMREQ@WILEY.COM.

**Library of Congress Cataloging in Publication Data:**

Modern superabsorbent polymer technology / edited by Fredric L.

Buchholz, Andrew T. Graham.

p. cm.

Includes index.

ISBN 0-471-19411-5 (cloth : alk. paper)

I. Acrylic resins. 2. Sorbents. I. Buchholz, Fredric L., 1952-

II. Graham, Andrew T., 1945-

TP1180.A35M63 1997

668.4'232—dc21

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

Preface

Acknowledgments

Contributors

1 Absorbent Polymers

Fredric L. Buchholz

1.1. Absorbent Polymers

1.1.1. Acrylic Resins

1.1.2. Sorbents

1.2. Superabsorbent Polymers

1.2.1. Acrylic Resins

1.2.2. Sorbents

1.3. Conclusions

2 Chemical Synthesis

Thomas L. Graham

2.1. Preparation of Monomers

2.1.1. Acrylic Resins

2.1.2. Sorbents

2.2. Free Radical Polymerization

Relaxation

2.2.1. Acrylic Resins

2.2.2. Sorbents

# CONTENTS

<b>Preface</b>	<b>xi</b>
<b>Acknowledgments</b>	<b>xv</b>
<b>Contributors</b>	<b>xvii</b>
<b>1 Absorbency and Superabsorbency</b>	<b>1</b>
<i>Fredric L. Buchholz</i>	
1.1. Absorbents / 2	
1.1.1. Traditional Absorbent Materials / 2	
1.1.2. Physics of Absorbent Materials / 2	
1.2. Superabsorbents / 6	
1.2.1. Physics of Superabsorbents / 6	
1.2.2. Superabsorbent Polymer Types / 9	
1.2.2.1. Polyelectrolyte Vs. Nonpolyelectrolyte Hydrogels / 9	
1.2.2.2. Covalent Vs. Ionic Vs. Physical Gels / 10	
1.2.2.3. Survey of Polymers / 11	
1.3. Composite Absorbent Structures / 14	
<b>2 Chemistry of Superabsorbent Polyacrylates</b>	<b>19</b>
<i>Thomas L. Staples, David E. Henton, Fredric L. Buchholz</i>	
2.1. Preparation of Superabsorbent Polyacrylates / 20	
2.1.1. Example 1: Crosslinking Co-Polymerization of Acrylic Acid / 22	
2.1.2. Example 2: Crosslinking Co-Polymerization of Partially Neutralized Acrylic Acid / 23	
2.2. Free-Radical Polymerization of Acrylic Acid and Related Monomers / 24	
2.2.1. Monomer Properties / 24	
2.2.2. Storage and Inhibition / 24	

# ABSORBENCY AND SUPERABSORBENCY

Fredric L. Buchholz

Superabsorbent polymers are fascinating substances. The most commonly available superabsorbent polymers are hard, dry, granular powders that look much like clean, white sand or granular table sugar. Other shapes, such as microspherical powders and fine fibers, are also known. Any similarity to sand or sugar is immediately forgotten when the superabsorbent polymer is put into contact with water or water solutions. At first, the slurry of water and the particles of the hard, dry granules seems unremarkable, but gradually the superabsorbent polymer absorbs the water, turning into a soft, rubbery gel. Pads of fluffed cellulose pulp fibers will absorb about 12 g of water or other aqueous solutions per gram of dry fiber,<sup>1</sup> whereas superabsorbent polymers will absorb up to 1,000 g of water per gram of polymer and up to about 100 g of dilute salt solution per gram of polymer. Unlike the behavior of a soaked pad of cotton or a sponge, the superabsorbent polymer gel will not release the water when squeezed with the fingers.

The advent of superabsorbent polymers is a classic case of the substitution of materials. The principal use of superabsorbent polymers is as an absorbent for water and aqueous solutions, primarily in diapers, adult incontinence products, and feminine hygiene applications. In these applications superabsorbent materials are inexorably replacing traditional absorbent materials such as cloth, cotton, paper wadding, and batts of cellulose fiber. The substitution of superabsorbent polymers for fibrous wood pulp in disposable sanitary products has taken place gradually over a time span of about 20 years and is probably not yet complete. To explain better this process of substitution, and superabsorbents generally, the essential characteristics of the tradition-

*Modern Superabsorbent Polymer Technology.* Edited by Fredric L. Buchholz and Andrew T. Graham.  
ISBN 0-471-19411-5. © 1998 John Wiley & Sons, Inc.